Printing date 27.09.2022

Version 23

Revision: 27.09.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier · Trade name: NautiChem S40 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, maintainance, services, craftsmen) Product category PC1 Adhesives, sealants · Process category PROC10 Roller application or brushing Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor) · Application of the substance / the mixture Adhesive and sealant · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Yachticon A. Nagel GmbH Bürgermeister-Bombeck-Straße 1 D-22851 Norderstedt · Further information obtainable from: Phone: +49 40 320 499 7-0 Fax: +49 40 320 499 7-99 Internet: www.yachticon.de · 1.4 Emergency telephone number: Giftnotrufzentrale Berlin Tel.: +49 (0) 30 19240 Tel.: +49 (0) 30 30 686 790 www.giftnotruf.de **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- Additional information:

Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine, Trimethoxyvinylsilane. May produce an allergic reaction.

- Safety data sheet available on request.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Sealant and adhesive based on MS-hybrid-polymer

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Version 23

Revision: 27.09.2022

Trade name: NautiChem S40

Printing date 27.09.2022

Dangerous components:

Does not contain any (other) ingredients in a quantity which, according to the CLP regulation, requires a listing in section 3.2

CAS: 2768-02-7	Trimethoxyvinylsilane	≥ 0.1-<1%
EINECS: 220-449-8 Index number: 014-049-00-0 Reg.nr.: 01-2119513215-52- xxxx	Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317	
CAS: 1760-24-3 EINECS: 217-164-6 Reg.nr.: 01-2119970215-39- xxxx	N-(3-(trimethoxysilyl)propyl)ethylenediamine Eye Dam. 1, H318; Skin Sens. 1, H317; STOT SE 3, H335	≥0.1-<1%

• **SVHC** Not present in an amount $\geq 0.1\%$

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Wash with plenty of water or water and soap. In cases of sickness seek medical advice (show label if possible).

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:

Drink plenty of water. Seek medical advice immediately and show the label or packaging.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 6.2 Environmental precautiones: Do not offen on protected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

⁻Df

Printing date 27.09.2022

Version 23

Revision: 27.09.2022

(Contd. of page 2)

Trade name: NautiChem S40

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Observe the general safety regulations when handling chemicals.

Information about fire - and explosion protection:

Apply general precautions to prevent fire hazard.

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- **Requirements to be met by storerooms and receptacles:** Store product only in tightly closed original containers.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: We refer to the technical data sheet
- Store product in a cool, dry and well-ventilated area.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any (further) relevant quantities of substances with workplace-related limit values that require monitoring
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

· Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Natural rubber, NR

PVA gloves

Recommended thickness of the material: ≥ 0.4 mm

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Breakthrough time> 2 hours. After this time we recommend to change the protective gloves.

• Eye protection: Goggles recommended during refilling

(Contd. on page 4)

Printing date 27.09.2022

Version 23

Revision: 27.09.2022

(Contd. of page 3)

Trade name: NautiChem S40

· Body protection: Light weight protective clothing recommended.

SECTION 9: Physical and chemical properties				
· 9.1 Information on basic physical and chemical properties				
· General Information				
· Appearance: Form:	Pasty			
Colour:	According to product specification			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· pH-value:	Not determined because it is not soluble in water			
· Change in condition				
Melting point/freezing point: Initial boiling point and boiling range:	Not determined.			
· Flash point:	Not determined.			
· Flammability (solid, gas):	Not determined.			
 Ignition temperature: 	Not determined			
 Decomposition temperature: 	Not determined.			
· Auto-ignition temperature:	Product is not selfigniting.			
 Explosive properties: 	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper: · Oxidising properties	Not determined. Not determined.			
· Vapour pressure:	Not determined.			
 Density at 20 °C: Relative density 	1.5 g/cm ³			
· Vapour density	Not determined. Not determined.			
· Evaporation rate	Not determined.			
Solubility in / Miscibility with				
water:	Not miscible or difficult to mix.			
· Partition coefficient: n-octanol/water:	Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
· Solvent content:				
VOC (EC)	0.00 %			
· 9.2 Other information	No further relevant information available.			

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)

DE----

Printing date 27.09.2022

Version 23

Revision: 27.09.2022

(Contd. of page 4)

Trade name: NautiChem S40

- 10.5 Incompatible materials: Avoid contact with other chemicals.
- · 10.6 Hazardous decomposition products: Possible in traces.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Not easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation

On the basis of the necessary technical regulations and after consultation with the disposal agent and the relevant authorities, can be disposed of with domestic waste or incinerated with domestic waste.

Smaller quantities can be disposed of with household waste.

· European waste catalogue		
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09	
15 01 01	paper and cardboard packaging	
15 01 02	plastic packaging	
15 01 04	metal packaging	
	(C	ontd. on page 6)

Version 23

Revision: 27.09.2022

(Contd. of page 5)

Trade name: NautiChem S40

Printing date 27.09.2022

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
 · 14.4 Packing group · ADR, IMDG, IATA 	Void	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
 14.6 Special precautions for user 	Not applicable.	
 • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. 		
· UN "Model Regulation":	This product is not considered as a dangerous good according to the transport regulations	

SECTION 15: Regulatory information

¹ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

Directive 2012/18/EU

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

(Contd. on page 7)

Printing date 27.09.2022

Version 23

Revision: 27.09.2022

Trade name: NautiChem S40

 GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Sources Not available * Data compared to the previous version altered. 	(Contd. of page 6)
	DE